


# WHAT IS CLAIMED IS

1. A compound of formula (I)



or a therapeutically acceptable salt thereof, wherein

A<sup>1</sup> is selected from the group consisting of CR<sup>1</sup> and N;

A<sup>2</sup> is selected from the group consisting of CR<sup>8</sup> and N;

R<sup>1</sup> and R<sup>8</sup> are independently selected from the group consisting of hydrogen, alkoxy, alkyl, amino, aminoalkyl, cyano, halo, hydroxy, hydroxyalkyl, and nitro;

R<sup>2</sup>, R<sup>3</sup>, R<sup>4</sup>, and R<sup>5</sup> are independently selected from the group consisting of hydrogen, alkenyl, alkoxy, alkoxyalkoxy, alkoxyalkoxyalkoxy, alkoxyalkyl, alkoxycarbonyl, alkoxycarbonylalkyl, alkyl, alkylcarbonyl, alkylcarbonylalkyl, amino, aminoalkoxy, aminoalkyl, aminocarbonyl, aminocarbonylalkyl, aminosulfonyl, aryl, arylalkoxy, arylalkyl, aryloxyalkyl, carboxy, carboxyalkyl, cyano, cyanoalkyl, cycloalkyl, cycloalkylalkyl, halo, haloalkoxy, haloalkyl, heterocyclyl, heterocyclylalkoxy, heterocyclylalkyl, heterocyclylcarbonylalkyl, heterocycliloxyalkyl, hydroxy, hydroxyalkoxy, hydroxyalkyl, nitro, nitroalkyl, and - (CR<sup>9</sup>R<sup>10</sup>)<sub>m</sub>C(O)NR<sup>11</sup>R<sup>12</sup>;

one of R<sup>6</sup> and R<sup>7</sup> is hydrogen and the other is selected from the group consisting of hydrogen, aryl, cycloalkyl, halo, heterocyclyl, and -XR<sup>13</sup>;

R<sup>9</sup> and R<sup>10</sup> are independently selected from the group consisting of hydrogen, alkenyl, alkyl, aminoalkyl, and hydroxyalkyl; or

R<sup>9</sup> and R<sup>10</sup>, together with the carbon atom to which they are attached, form a cycloalkyl group;

R<sup>11</sup> and R<sup>12</sup> are each independently selected from the group consisting of hydrogen, alkenyl, alkoxyalkyl, alkyl, amino, aminoalkyl, aryl, arylalkyl, cyanoalkyl, cycloalkyl, cycloalkylalkyl, haloalkyl, heterocyclyl, heterocyclylalkyl, hydroxyalkyl, -NR<sup>c</sup>R<sup>d</sup>, (NR<sup>c</sup>R<sup>d</sup>)alkyl, and (NR<sup>c</sup>R<sup>d</sup>)carbonylalkyl; or

$R^{11}$  and  $R^{12}$ , together with the nitrogen atom to which they are attached, form a heterocyclyl ring selected from the group consisting of azetidiny, diazepanyl, imidazolidiny, morpholiny, piperaziny, piperidiny, pyrrolidiny and thiomorpholiny, which can each be optionally substituted with one, two, or three substituents independently selected from the group consisting of alkoxy, alkoxycarbonyl, alkenyl, alkyl, alkylcarbonyl, aryl, carboxy, carboxyalkyl, heterocyclyl, heterocyclylalkyl, hydroxy, hydroxyalkyl,  $-NR^cR^d$ ,  $(NR^cR^d)alkyl$ , and  $(NR^cR^d)carbonyl$ ;

$R^{13}$  is selected from the group consisting of aryl, cycloalkyl, and heterocyclyl;

X is selected from the group consisting of  $-O-$ ,  $-NR^{14}-$ ,  $-C(O)-$ ,  $-S-$ ,  $-SO_2-$ ,  $-(CH_2)_n-$ ,  $-C(O)NR^{14}-$ ,  $-NR^{14}C(O)-$ ,  $-SO_2NR^{14}-$ ,  $-NR^{14}SO_2$ ,  $-O(CH_2)_m-$ ,  $-(CH_2)_mO-$ ,  $-CH=CH-$ , and  $-C\equiv C-$ ; wherein  $R^{14}$  is selected from the group consisting of hydrogen, alkenyl, alkyl, aminoalkyl, and hydroxyalkyl;

Y is selected from the group consisting of  $NR^{15}$  and  $-O-$ ; wherein  $R^{15}$  is selected from the group consisting of hydrogen, alkoxycarbonyl, alkyl, alkylcarbonyl, arylalkyl, cycloalkyl, and cycloalkylalkyl;

m is 0-3; and

n is 1-3.

2. The compound of claim 1 wherein

$A^1$  is  $CR^1$ ;

$A^2$  is  $CR^8$ ;

Y is  $NR^{15}$ ; and

$R^1$ ,  $R^3$ ,  $R^4$ ,  $R^5$ ,  $R^7$ ,  $R^8$ , and  $R^{15}$  are hydrogen.

3. The compound of claim 2 wherein  $R^2$  is hydrogen.

4. The compound of claim 3 selected from the group consisting of

3-(4-hydroxy-3-methoxyphenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl)benzonitrile;

3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(4-chloro-3-methoxyphenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(4-bromo-3-methoxyphenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-(4-acetyl-3-methoxyphenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 2-methoxy-4-(11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl)benzonitrile;  
 methyl 2-methoxy-4-(11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl)benzoate;  
 2-methoxy-4-(11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl)benzoic acid;  
 N-(3,4-dihydroxybenzyl)-2-methoxy-4-(11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl)benzamide;  
 2-methoxy-4-(11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl)benzamide; and  
 3-(2-methoxy-4-pyridinyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one.

5. The compound of claim 2 wherein R<sup>2</sup> is selected from the group consisting of alkoxy carbonyl and alkoxy carbonyl alkyl.

6. The compound of claim 5 selected from the group consisting of  
 methyl 3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxylate;  
 methyl [3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;  
 methyl [3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;  
 methyl [3-(3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;  
 methyl [3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;  
 methyl [3-(4-bromo-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;  
 methyl [3-(4-cyano-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;  
 methyl [3-(5-methoxy-2-methyl-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;  
 methyl [3-(4-cyano-5-methoxy-2-methylphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;

methyl [3-(2-fluoro-5-methyl-4-pyridinyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate; and

methyl [3-(2-methoxy-5-methyl-4-pyridinyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate.

7. The compound of claim 2 wherein  $R^2$  is selected from the group consisting of amino and aryl.

8. The compound of claim 7 selected from the group consisting of  
8-amino-3-(4-hydroxy-3-methoxyphenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
N-[3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]methanesulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]methanesulfonamide;

N-[3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;

8-(3-aminophenyl)-3-(4-hydroxy-3-methoxyphenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(4-hydroxy-3-methoxyphenyl)-8-(3-hydroxyphenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one; and

8-amino-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one.

9. The compound of claim 2 wherein  $R^2$  is selected from the group consisting of carboxy, carboxyalkyl, cyano, nitro, and heterocyclyl.

10. The compound of claim 9 selected from the group consisting of  
3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxylic acid;

3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carbonitrile;  
 3-(4-hydroxy-3-methoxyphenyl)-8-nitro-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-(4-hydroxy-3-methoxyphenyl)-8-(3-pyridinyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-(4-hydroxy-3-methoxyphenyl)-8-(1H-pyrrol-2-yl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-(3-methoxy-4-nitrophenyl)-8-(1H-pyrrol-2-yl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one; and  
 [3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetic acid.

11. The compound of claim 2 wherein  $R^2$  is  $-(CR^9R^{10})_mC(O)NR^{11}R^{12}$ .

12. The compound of claim 11 wherein m is 0.

13. The compound of claim 12 wherein one of  $R^{11}$  and  $R^{12}$  is hydrogen and the other is heterocyclalkyl.

14. The compound of claim 13 selected from the group consisting of

3-(4-hydroxy-3-methoxyphenyl)-11-oxoN[3-(1-pyrrolidinyl)propyl]-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 3-(4-hydroxy-3-methoxyphenyl)N[3-(4-morpholinyl)propyl]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 3-(4-hydroxy-3-methoxyphenyl)-11-oxoN[3-(2-oxo-1-pyrrolidinyl)propyl]-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 3-(4-hydroxy-3-methoxyphenyl)-11-oxoN(3-pyridinylmethyl)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 3-(4-hydroxy-3-methoxyphenyl)-11-oxoN(2-pyridinylmethyl)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;

3-(4-hydroxy-3-methoxyphenyl)-11-oxoN(4-pyridinylmethyl)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 3-(2-methoxy-4-pyridinyl)-11-oxoN[3-(1-pyrrolidinyl)propyl]-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide; and  
 11-oxo-3-(2-oxo-1,2-dihydro-4-pyridinyl)N[3-(1-pyrrolidinyl)propyl]-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide.

15. The compound of claim 12 wherein one of R<sup>11</sup> and R<sup>12</sup> is hydrogen and the other is selected from the group consisting of amino, aminoalkyl, arylalkyl, and hydroxyalkyl.

16. The compound of claim 15 selected from the group consisting of  
 N-[3-(dimethylamino)propyl]-3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 N-(2-hydroxyethyl)-3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 N-(2,3-dihydroxypropyl)-3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 N-[2-(acetylamino)ethyl]-3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 3-(4-hydroxy-3-methoxyphenyl)N[4-(methylsulfonyl)benzyl]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 N-(2-fluorobenzyl)-3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 3-(4-hydroxy-3-methoxyphenyl)N(2-methoxybenzyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide;  
 3-(4-hydroxy-3-methoxyphenyl)N[2-(4-methoxyphenyl)ethyl]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxamide; and  
 tert-butyl 2- {[3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]carbonyl} hydrazinecarboxylate.

17. The compound of claim 11 wherein R<sup>11</sup> and R<sup>12</sup>, together with the nitrogen atom to which they are attached, form a heterocyclyl ring selected from the group consisting of diazepanyl, imidazolidinyl, morpholinyl, piperazinyl, piperidinyl, and pyrrolidinyl, which can each be optionally substituted with one, two, or three substituents independently selected from the group consisting of alkoxy, alkoxycarbonyl, alkenyl, alkyl, alkylcarbonyl, aryl, carboxy, carboxy, heterocyclyl, heterocyclylalkyl, hydroxy, and hydroxyalkyl.

18. The compound of claim 17 selected from the group consisting of  
3-(4-hydroxy-3-methoxyphenyl)-8-[(3-hydroxy-1-pyrrolidinyl)carbonyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
3-(4-hydroxy-3-methoxyphenyl)-8-[(2S)-2-(hydroxymethyl)-1-pyrrolidinyl]carbonyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
3-(4-hydroxy-3-methoxyphenyl)-8-[[2-(hydroxymethyl)-1-piperidinyl]carbonyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
ethyl 1-[[3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]carbonyl]-2-piperidinecarboxylate;  
ethyl 1-[[3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]carbonyl]-3-piperidinecarboxylate;  
ethyl 1-[[3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]carbonyl]-4-piperidinecarboxylate;  
3-(4-hydroxy-3-methoxyphenyl)-8-[(3-hydroxy-1-piperidinyl)carbonyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
1-[[3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]carbonyl]-2-piperidinecarboxylic acid;  
1-[[3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]carbonyl]-3-piperidinecarboxylic acid; and  
1-[[3-(4-hydroxy-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]carbonyl]-4-piperidinecarboxylic acid.

19. The compound of claim 11 wherein m is 1.

20. The compound of claim 19 wherein one of R<sup>11</sup> and R<sup>12</sup> is selected from the group consisting of hydrogen and alkyl and the other is heterocyclalkyl.

21. The compound of claim 20 selected from the group consisting of

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[3-(1-pyrrolidinyl)propyl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[2-(2-pyridinyl)ethyl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[2-(3-pyridinyl)ethyl]acetamide;

2-[3-(3-Methoxy-4-nitro-phenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(4-pyridin-2-yl-ethyl)-acetamide;

N-[3-(1H-imidazol-1-yl)propyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]NmethylN[2-(2-pyridinyl)ethyl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(3-pyridinylmethyl)acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(4-pyridinylmethyl)acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(2-pyridinylmethyl)acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[2-(1-pyrrolidinyl)ethyl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[2-(1-piperidinyl)ethyl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[3-(1-piperidinyl)propyl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[2-(4-morpholinyl)ethyl]acetamide;



2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[3-(4-morpholinyl)propyl]acetamide; and  
2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[2-(4-methyl-1-piperazinyl)ethyl]acetamide.

22. The compound of claim 19 wherein one of R<sup>11</sup> and R<sup>12</sup> is selected from the group consisting of hydrogen and alkyl and the other is selected from the group consisting of alkoxyalkyl and hydroxyalkyl.

23. The compound of claim 22 selected from the group consisting of  
N-[(1S)-1-(hydroxymethyl)-2-methylpropyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-[(1R)-1-(hydroxymethyl)-2-methylpropyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-(3-ethoxypropyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-[(1R)-1-(hydroxymethyl)-3-methylbutyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-[(1S)-1-(hydroxymethyl)-3-methylbutyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-(3-hydroxypropyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-[(1S)-2-hydroxy-1-phenylethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-[(1R)-2-hydroxy-1-phenylethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-(4-hydroxybutyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide; and  
N-(2-hydroxyethyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]Npropylacetamide.

24. The compound of 19 wherein one of R<sup>11</sup> and R<sup>12</sup> is selected from the group consisting of hydrogen and alkyl and the other is selected from the group consisting of alkyl, aminoalkyl, aryl, aryalkyl, and heterocyclyl.

25. The compound of claim 24 selected from the group consisting of  
N-[2-(dimethylamino)ethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N-methylacetamide;  
2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-N,N-dimethylacetamide;  
2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N3-quinolinylacetamide;  
2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N6-quinolinylacetamide;  
2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[4-(4-morpholinyl)phenyl]acetamide;  
N-[2-(diethylamino)ethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-[3-(diethylamino)propyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-(3,4-difluorobenzyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-(1-benzyl-4-piperidinyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-[4-(dimethylamino)butyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-{2-[4-(aminosulfonyl)phenyl]ethyl}-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
N-[2-(dimethylamino)ethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide; and  
N-[3-(dimethylamino)propyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide.

26. The compound of claim 19 wherein R<sup>11</sup> and R<sup>12</sup>, together with the nitrogen atom to which they are attached, form a heterocyclyl ring selected from the group consisting of diazepanyl, imidazolidinyl, morpholinyl, piperazinyl, piperidinyl, and pyrrolidinyl, which can each be optionally substituted with one, two, or three substituents independently selected from the group consisting of alkoxy, alkoxycarbonyl, alkenyl, alkyl, alkylcarbonyl, aryl, carboxy, carboxy, heterocyclyl, heterocyclylalkyl, hydroxy, and hydroxyalkyl.

27. The compound of claim 26 selected from the group consisting of  
8-[2-(3-hydroxy-1-piperidinyl)-2-oxoethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
3-(3-methoxy-4-nitrophenyl)-8-[2-(4-methyl-1,4-diazepan-1-yl)-2-oxoethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
8-[2-(4-hydroxy-1-piperidinyl)-2-oxoethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
8-[2-(4-ethyl-1-piperazinyl)-2-oxoethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
8-{2-[4-(2-hydroxyethyl)-1-piperazinyl]-2-oxoethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
3-(3-methoxy-4-nitrophenyl)-8-[2-oxo-2-(4-phenyl-1-piperazinyl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
3-(3-methoxy-4-nitrophenyl)-8-{2-oxo-2-[4-(2-pyridinyl)-1-piperazinyl]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one; and  
8-{2-[(2S)-2-(hydroxymethyl)-1-pyrrolidinyl]-2-oxoethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one.

28. The compound of claim 1 selected from the group consisting of  
N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]urea;  
2-(dimethylamino)N[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;

(2S)-2-aminoN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-4-methylpentanamide;

4-AminoN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]butyramide;

3-AminoN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propionamide;

N-[3-(3-Methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-(3-methyl-3H-imidazol-4-yl)acetamide;

2-(3H-Imidazol-4-yl)N[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]thiophene-3-carboxamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-1H-pyrrole-2-carboxamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2,5-dimethyl-1H-pyrrole-3-carboxamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-1,3-thiazole-4-carboxamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-1H-pyrazole-5-carboxamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-1H-pyrazole-4-carboxamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]isonicotinamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-3-pyrrolidin-1-ylpropanamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-3-piperidin-1-ylpropanamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-3-morpholin-4-ylpropanamide;

(2R)-2-hydroxyN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-

dibenzo[b,e][1,4]diazepin-8-yl]-4-phenylbutanamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-3-(phenylsulfonyl)propanamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-[[4-methylphenyl)sulfonyl]amino} acetamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]pyridine-2-carboxamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]nicotinamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-pyridin-3-ylacetamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-(4-methylpiperazin-1-yl)acetamide;

3-ethoxyN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanamide;

(2R)N[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-5-oxopyrrolidine-2-carboxamide;

4-methoxyN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]cyclohexanecarboxamide;

(2R)-2-methoxyN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-phenylacetamide;

(2S)-2-methoxyN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-phenylacetamide;

N-(2-[[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]amino]-2-oxoethyl)-2-furamide;

1-acetylN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]piperidine-4-carboxamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-N'-phenylpentanediamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-[4-(methylsulfonyl)phenyl]acetamide;

(2S)N[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-5-oxopyrrolidine-2-carboxamide;  
 4-(8-amino-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl)-2-methoxybenzonitrile;  
 (2S)N[3-(4-cyano-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methoxy-2-phenylacetamide;  
 N-[3-(4-cyano-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-3-piperidin-1-ylpropanamide;  
 N-[3-(4-cyano-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]methanesulfonamide;  
 8-amino-3-(4-chloro-3-methoxyphenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 N-[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-3-piperidin-1-ylpropanamide;  
 3-(3-methoxy-4-nitrophenyl)-8-(2-oxopyrrolidin-1-yl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-(3-methoxy-4-nitrophenyl)-8-(2-oxopiperidin-1-yl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-(4-chloro-3-methoxyphenyl)-8-(2-oxopyrrolidin-1-yl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-chloroN[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propane-1-sulfonamide;  
 N-[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-1-phenylmethanesulfonamide;  
 3-(4-chloro-3-methoxyphenyl)-8-(1,1-dioxidoisothiazolidin-2-yl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 2,2,2-trifluoroN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]ethanesulfonamide;  
 N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-1-methyl-1H-imidazole-4-sulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-1-phenylmethanesulfonamide;

3-chloroN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propane-1-sulfonamide;

8-(1,1-dioxidoisothiazolidin-2-yl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-3-morpholin-4-ylpropane-1-sulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-3-piperidin-1-ylpropane-1-sulfonamide;

3-(diethylamino)N[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propane-1-sulfonamide;

3-(dimethylamino)N[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propane-1-sulfonamide;

1-chloroN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]methanesulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-4-morpholin-4-ylbenzamide;

7-amino-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-chloroN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]propane-1-sulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]-1-phenylmethanesulfonamide;

1-(4-chlorophenyl)N[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]methanesulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]-1-methyl-1H-imidazole-4-sulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]methanesulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-

yl]-3-morpholin-4-ylpropane-1-sulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]-3-piperidin-1-ylpropane-1-sulfonamide;

3-(diethylamino)N[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]propane-1-sulfonamide;

3-(dimethylamino)N[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]propane-1-sulfonamide;

N-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]tetrahydro-2H-pyran-4-carboxamide;

8-(1-hydroxy-1-methylethyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(1-ethyl-1-hydroxypropyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(1-hydroxy-1-methylethyl)-3-(pyridin-4-ylamino)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2-chloropyridin-4-yl)amino]-8-(1-hydroxy-1-methylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

4-{[8-(1-hydroxy-1-methylethyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl]amino}pyridine-2-carbonitrile;

8-(1-hydroxy-1-methylethyl)-3-(pyrimidin-4-ylamino)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(1-hydroxy-1-methylethyl)-3-[(2,3,5,6-tetrafluoropyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(1-ethyl-1-hydroxypropyl)-3-(pyridin-4-ylamino)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2-aminopyrimidin-4-yl)amino]-8-(1-hydroxy-1-methylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2-chloropyridin-4-yl)amino]-8-(1-ethyl-1-hydroxypropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(1-hydroxy-1-methylethyl)-3-[(2,3,6-trifluoropyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;



3-({2-[(2-chloropyridin-4-yl)amino]pyridin-4-yl}amino)-8-(1-hydroxy-1-methylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

methyl 2-methyl-2-{11-oxo-3-[(2,3,6-trifluoropyridin-4-yl)amino]-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}propanoate;

2-methylN(4-morpholin-4-ylphenyl)-2-{11-oxo-3-[(2,3,6-trifluoropyridin-4-yl)amino]-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}propanamide;

2-{3-[(2,6-difluoropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}-2-methylN(4-morpholin-4-ylphenyl)propanamide;

3-[(2,6-difluoropyridin-4-yl)amino]-8-(2-hydroxyethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-{3-[(2,6-difluoropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}-2-methylpropanoic acid;

3-[(2,6-difluoropyridin-4-yl)amino]-7-morpholin-4-yl-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-morpholin-4-yl-3-[(2,3,6-trifluoropyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2,6-difluoropyridin-4-yl)amino]-8-(2-hydroxy-2-methylpropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

methyl [11-oxo-3-(pyridin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;

methyl {3-[(2-chloropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}acetate;

methyl {3-[(2-methylpyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}acetate;

3-[(2-chloropyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-acetyl-3-[(2-chloropyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

{3-[(2-chloropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}acetic acid;

3-[(2-chloropyridin-4-yl)amino]-8-isopropenyl-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-{3-[(2-chloropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}N(4-morpholin-4-ylphenyl)acetamide;

3-[(2-chloropyridin-4-yl)amino]-8-(2-hydroxy-2-methylpropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-{3-[(2-chloropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}-2-methylN(4-morpholin-4-ylphenyl)propanamide;

3-[(2-chloropyridin-4-yl)amino]-8-(2-oxopyrrolidin-1-yl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

methyl {3-[(2-chloropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl} acetate;

8-[2-(pyridin-2-yloxy)ethyl]-3-[(2,3,6-trifluoropyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(2-hydroxy-2-methylpropyl)-3-[(2,3,5-trifluorophenyl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(3,5-difluorophenyl)amino]-7-(3-hydroxy-3-methylbutyl)-8-methoxy-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(3-hydroxy-3-methylbutyl)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2,6-difluoropyridin-4-yl)amino]-7-(3-hydroxypropyl)-8-methoxy-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(3-hydroxypropyl)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2,6-difluoropyridin-4-yl)amino]-8-(3-hydroxy-3-methylbutyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(3-hydroxy-3-methylbutyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

methyl 3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanoate;

3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanoic acid;

3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-

yl]-N,N-dimethylpropanamide;

3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(4-morpholin-4-ylphenyl)propanamide;

8-(3-azetidin-1-yl-3-oxopropyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-(3-oxo-3-pyrrolidin-1-ylpropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-(3-morpholin-4-yl-3-oxopropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

N,N-diethyl-3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanamide;

8-[3-(4-hydroxypiperidin-1-yl)-3-oxopropyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N1,3-thiazol-2-ylpropanamide;

8-(2-hydroxyethyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(3-hydroxypropyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

methyl 3-[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanoate;

3-[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-N,N-dimethylpropanamide;

3-(4-chloro-3-methoxyphenyl)-8-(3-hydroxy-3-methylbutyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(3-methyl-1,2,4-oxadiazol-5-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

methyl 3-[8-methoxy-3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]propanoate;

7-(2-hydroxy-2-methylpropyl)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(2-hydroxyethyl)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-(2-oxopropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(2-hydroxy-1,1-dimethylethyl)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(3-hydroxypropyl)-3-(3-methoxy-4-nitrophenyl)-8-(trifluoromethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(3-hydroxy-3-methylbutyl)-3-(3-methoxy-4-nitrophenyl)-8-(trifluoromethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(3-hydroxy-3-methylbutyl)-3-(3-methoxy-4-nitrophenyl)-8-methyl-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-(2-pyridin-4-ylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-(2-pyridin-2-ylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(2-oxopyridin-1(2H)-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[2-(5-fluoro-2-oxopyridin-1(2H)-yl)ethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(6-oxopyridazin-1(6H)-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(pyridin-2-yloxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-{2-[(5-chloropyridin-3-yl)oxy]ethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-[2-(pyridin-3-yloxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

methyl (3-isoquinolin-5-yl-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl)acetate;

methyl [3-(8-nitroisoquinolin-5-yl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;

methyl 3-[3-(4-formyl-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanoate;

methyl 3-{3-[4-(hydroxymethyl)-3-methoxyphenyl]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}propanoate;

methyl 3-[3-(3-methoxy-4-propionylphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanoate;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(4-morpholin-4-ylphenyl)propanamide;

2-[3-(4-cyano-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(4-morpholin-4-ylphenyl)propanamide;

2-[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(4-morpholin-4-ylphenyl)propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylNpyridin-2-ylpropanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylNpyridin-3-ylpropanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylNpyridin-4-ylpropanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(pyridin-3-ylmethyl)propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(pyridin-3-ylmethyl)propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(tetrahydrofuran-3-ylmethyl)propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN1,3-thiazol-2-ylpropanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN{[6-(trifluoromethyl)pyridin-3-yl]methyl}propanamide;

N-(4-fluorophenyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-

dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;  
     N-(2,5-difluorobenzyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-  
 dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;  
     2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-  
 dibenzo[b,e][1,4]diazepin-8-yl]N[3-(trifluoromethyl)benzyl]propanamide;  
     2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-  
 dibenzo[b,e][1,4]diazepin-8-yl]N[3-(trifluoromethoxy)benzyl]propanamide;  
     1-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-  
 yl]N(4-morpholin-4-ylphenyl)cyclopropanecarboxamide;  
     2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-  
 yl]-2-methylN(4-morpholin-4-ylphenyl)propanamide;  
     2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-  
 yl]-2-methylN(pyridin-2-ylmethyl)propanamide;  
     2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-  
 yl]-2-methylN(thien-2-ylmethyl)propanamide;  
     N-(cyclopropylmethyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-  
 dibenzo[b,e][1,4]diazepin-7-yl]-2-methylpropanamide;  
     7-(3-hydroxypropyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     7-(3-hydroxy-3-methylbutyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     8-(2-hydroxy-1,1-dimethylethyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     8-(2-hydroxy-1,1,2-trimethylpropyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     8-(1,1-dimethyl-2-oxopropyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     7-(2-hydroxy-1,1-dimethylethyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     8-[1-(hydroxymethyl)cyclopropyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;

3-[(2-chloropyridin-4-yl)amino]-8-(2-hydroxy-1,1-dimethylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2,6-difluoropyridin-4-yl)amino]-8-(2-hydroxy-1,1-dimethylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2,6-difluoropyridin-4-yl)amino]-8-(2-hydroxy-1,1,2-trimethylpropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(4-chloro-3-methoxyphenyl)-8-(2-hydroxy-1,1-dimethylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(4-morpholin-4-ylphenoxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(4-chloro-3-methoxyphenyl)-8-[2-(4-morpholin-4-ylphenoxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-methoxy-4-{8-[2-(4-morpholin-4-ylphenoxy)ethyl]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl} benzonitrile;

3-(3-methoxy-4-nitrophenyl)-8-{2-[(4-morpholin-4-ylphenyl)amino]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(3-methyl-2-oxopyridin-1(2H)-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-{2-[(5-methylpyridin-2-yl)oxy]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(4-methyl-2-oxopyridin-1(2H)-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[2-(isoquinolin-3-yloxy)ethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[2-(5-chloro-2-oxopyridin-1(2H)-yl)ethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[1,1-dimethyl-2-(pyridin-2-yloxy)ethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[1,1-dimethyl-2-(4-morpholin-4-ylphenoxy)ethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(tetrahydrofuran-2-ylmethyl)propanamide;

8-(2-hydroxy-1,1-dimethylethyl)-3-(3-methoxy-4-nitrophenyl)-7-methyl-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-[3-(3-methoxy-4-nitrophenyl)-2-methyl-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(4-morpholin-4-ylphenyl)acetamide;

methyl {3-[4-(aminomethyl)-3-methoxyphenyl]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl} acetate;

2-[3-(2-methoxy-5-methylpyridin-4-yl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(4-morpholin-4-ylphenyl)propanamide;

8-(2-hydroxy-1,1-dimethylethyl)-3-[(2-methylpyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(2-hydroxy-1,1,2-trimethylpropyl)-3-(pyrimidin-4-ylamino)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N-methylN(3-pyrrolidin-1-ylpropyl)acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(3-pyrrolidin-1-ylpropyl)propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN-pyrimidin-4-ylpropanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(4-methyl-1,3-thiazol-2-yl)propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(2,2,2-trifluoroethyl)propanamide;

N-(3-fluorophenyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN[4-(trifluoromethoxy)phenyl]propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN[3-(trifluoromethyl)phenyl]propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-



yl]-2-methylN[3-(trifluoromethoxy)phenyl]propanamide;

N-[3-fluoro-5-(trifluoromethyl)benzyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

N-(2-fluorobenzyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

N-(3-fluorobenzyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

N-(4-fluorobenzyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN[4-(trifluoromethoxy)benzyl]propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN[3-(trifluoromethyl)benzyl]propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN[4-(trifluoromethyl)benzyl]propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN[3-(trifluoromethoxy)benzyl]propanamide;

N-[2-(2-fluorophenyl)ethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

N-[2-(3-fluorophenyl)ethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

N-(2,4-difluorobenzyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

N-(2,6-difluorobenzyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

N-(cyclopropylmethyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylpropanamide;

N-(3-ethoxypropyl)-2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanamide;

N-(3,4-difluorobenzyl)-2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanamide;

8-[1,1-dimethyl-2-oxo-2-(4-phenylpiperazin-1-yl)ethyl]-3-(pyrimidin-4-ylamino)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

N-cyclopentyl-2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanamide;

8-(1,1-dimethyl-2-morpholin-4-yl-2-oxoethyl)-3-(pyrimidin-4-ylamino)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(tetrahydrofuran-3-ylmethyl)propanamide;

N-(cyclopentylmethyl)-2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanamide;

N-(cyclopropylmethyl)-2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanamide;

2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(tetrahydrofuran-2-ylmethyl)propanamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]-2-methylN1,3-thiazol-2-ylpropanamide;

N-(2,5-difluorobenzyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]-2-methylpropanamide;

N-(2-ethoxyethyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]-2-methylpropanamide;

N-(4-fluorophenyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]-2-methylpropanamide;

3-(3-methoxy-4-nitrophenyl)-8-[2-(quinolin-2-yloxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(5-methyl-2-oxopyridin-1(2H)-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-{2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]ethoxy}-6-methylnicotinonitrile;

3-(3-methoxy-4-nitrophenyl)-8-[2-(1-oxoisoquinolin-2(1H)-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-{2-[2-oxo-5-(trifluoromethyl)pyridin-1(2H)-yl]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(3-methoxy-2-oxopyridin-1(2H)-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-{2-[(4-methylpyridin-2-yl)oxy]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-{2-[(3-methoxypyridin-2-yl)oxy]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(3-oxoisoquinolin-2(3H)-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-{2-[(6-chloropyridin-2-yl)oxy]ethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-{2-[(5-chloropyridin-2-yl)oxy]ethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

[[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetic acid;

methyl [3-(4-acetyl-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;

[3-(4-acetyl-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetic acid;

2-[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-N,N-dimethylacetamide;

tert-butyl 1-{[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetyl}pyrrolidin-3-ylcarbamate;

8-[2-(3-aminopyrrolidin-1-yl)-2-oxoethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

[3-(2-methoxy-5-methylpyridin-4-yl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetic acid;

2-[3-(2-methoxy-5-methylpyridin-4-yl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-N,N-dimethylacetamide;

8-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]-2-oxoethyl}-3-(2-methoxy-5-

methylpyridin-4-yl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 tert-butyl 1-{[3-(2-methoxy-5-methylpyridin-4-yl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetyl}pyrrolidin-3-ylcarbamate;  
 N-{2-[4-(aminosulfonyl)phenyl]ethyl}-2-[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;  
 tert-butyl 1-{[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetyl}pyrrolidin-3-ylcarbamate;  
 3-(4-chloro-3-methoxyphenyl)-8-[2-(3-hydroxypiperidin-1-yl)-2-oxoethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-(4-chloro-3-methoxyphenyl)-8-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]-2-oxoethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 2-[3-(4-chloro-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(4-morpholin-4-ylphenyl)acetamide;  
 tert-butyl 4-{[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetyl}piperazine-1-carboxylate;  
 3-(3-methoxy-4-nitrophenyl)-8-(2-oxo-2-piperazin-1-ylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 [3-(4-cyano-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetic acid;  
 2-[3-(4-cyano-3-methoxyphenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N(4-morpholin-4-ylphenyl)acetamide;  
 2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N-methylacetamide;  
 3-(3-methoxy-4-nitrophenyl)-8-(2-morpholin-4-yl-2-oxoethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-(2-methoxy-5-methylpyridin-4-yl)-8-(2-morpholin-4-yl-2-oxoethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 [3-(2-fluoropyridin-4-yl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetic acid;  
 N,N-dimethyl-2-[11-oxo-3-(2-oxo-1,2-dihydropyridin-4-yl)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;

8-(2-morpholin-4-yl-2-oxoethyl)-3-(2-oxo-1,2-dihydropyridin-4-yl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

N-(4-morpholin-4-ylphenyl)-2-[11-oxo-3-(2-oxo-1,2-dihydropyridin-4-yl)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;

methyl [11-oxo-3-(2-oxo-1,2-dihydropyridin-4-yl)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetate;

methyl [3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetate;

[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetic acid;

3-(3-methoxy-4-nitrophenyl)-7-(2-morpholin-4-yl-2-oxoethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]Npyridin-2-ylacetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]Npyridin-3-ylacetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]Npyridin-4-ylacetamide;

7-[2-(4-hydroxypiperidin-1-yl)-2-oxoethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-[2-(3-hydroxypiperidin-1-yl)-2-oxoethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(pyridin-3-ylmethyl)acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(pyridin-4-ylmethyl)acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(pyridin-2-ylmethyl)acetamide;

7-(2-azetidin-1-yl-2-oxoethyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

1-{{3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl}acetyl}piperidine-3-carboxamide;

1-{{3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl}acetyl}piperidine-4-carboxamide;

7-{2-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]-2-oxoethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]-N,N-dimethylacetamide;

N,N-bis(2-methoxyethyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N[(2S)-tetrahydrofuran-2-ylmethyl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(2-propoxyethyl)acetamide;

7-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]-2-oxoethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-[2-(3-aminopyrrolidin-1-yl)-2-oxoethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-7-(2-oxo-2-piperazin-1-ylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(3-methoxypropyl)acetamide;

N-(cyanomethyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

N-(cyclopropylmethyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

N-(1,3-dioxolan-2-ylmethyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]Nmethylacetamide;

3-(3-methoxy-4-nitrophenyl)-7-(2-oxo-2-thiomorpholin-4-ylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-

yl]N(2-pyridin-3-ylethyl)acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(2-pyridin-4-ylethyl)acetamide;

N-[2-(2,3-dimethoxyphenyl)ethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

N-[2-(1,3-benzodioxol-5-yl)ethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(thien-2-ylmethyl)acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(1,3-thiazol-5-ylmethyl)acetamide;

N-[2-(1H-imidazol-4-yl)ethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

7-[2-(1,4-dioxo-8-azaspiro[4.5]dec-8-yl)-2-oxoethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-{2-[2,6-dimethylmorpholin-4-yl]-2-oxoethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-[2-(4-acetylpiperazin-1-yl)-2-oxoethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-7-[2-oxo-2-(4-pyridin-2-ylpiperazin-1-yl)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-({[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetyl} amino)benzamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(4-morpholin-4-ylphenyl)acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]Nquinolin-6-ylacetamide;

N-[(1S)-1-(hydroxymethyl)-2-methylpropyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

(2S)-2-({[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetyl} amino)-4-methylpentanamide;

N-[(1S)-2-hydroxy-1-phenylethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

N-(2,3-dihydroxypropyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

N-[3-(1H-imidazol-1-yl)propyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N[3-(2-oxopyrrolidin-1-yl)propyl]acetamide;

N-(2,6-difluorobenzyl)-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

N-{2-[4-(aminosulfonyl)phenyl]ethyl}-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

N-[(1R)-1-(hydroxymethyl)-2-methylpropyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

N-[(1R)-2-hydroxy-1-phenylethyl]-2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]acetamide;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]N(thien-3-ylmethyl)acetamide;

methyl {3-[4-(aminocarbonyl)-3-methoxyphenyl]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl} acetate;

8-hydroxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-ethoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(4-methyl-1,3-thiazol-5-yl)ethoxy]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[3-(dimethylamino)propoxy]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;



3-(3-methoxy-4-nitrophenyl)-8-(2-morpholin-4-ylethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(4-morpholin-4-ylphenyl)ethoxy]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-7-piperidin-1-yl-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-7-morpholin-4-yl-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(4-hydroxypiperidin-1-yl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

methyl {3-[3-methoxy-4-(3-methyl-1,2,4-oxadiazol-5-yl)phenyl]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl} acetate;

8-(2-ethyl-2-hydroxybutyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2-chloropyridin-4-yl)amino]-8-(2-ethyl-2-hydroxybutyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

N,N-dimethyl-2-[11-oxo-3-(pyridin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;

N-(4-morpholin-4-ylphenyl)-2-[11-oxo-3-(pyridin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]acetamide;

8-(2-hydroxy-2-methylpropyl)-3-(pyrimidin-4-ylamino)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-(2-hydroxy-2-methylpropyl)-3-[(2-methylpyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-(2-oxopropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[(2-chloropyridin-4-yl)amino]-8-(2-oxopropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-({2-[(2-chloropyridin-4-yl)amino]pyridin-4-yl}amino)-8-(2-oxopropyl)-5,10-dihydro-

11H-dibenzo[b,e][1,4]diazepin-11-one;  
 methyl 2-methyl-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanoate;  
 methyl 2-methyl-2-{3-[(2-methylpyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}propanoate;  
 2-methylN(4-morpholin-4-ylphenyl)-2-[11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanamide;  
 2-methyl-2-{3-[(2-methylpyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}N(4-morpholin-4-ylphenyl)propanamide;  
 3-{[3-(2-hydroxyethyl)pyridin-4-yl]amino}-8-(1-hydroxy-1-methylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 8-(2-hydroxy-2-methylpropyl)-3-[(2-methoxypyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 8-(2-hydroxy-2-methylpropyl)-3-[(2-methylpyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 methyl 11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-7-carboxylate;  
 7-(1-hydroxy-1-methylethyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 7-(1-hydroxy-1-methylethyl)-3-(pyrimidin-4-ylamino)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 2-{3-[(6-methoxypyrimidin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}-2-methylN(4-morpholin-4-ylphenyl)propanamide;  
 3-(3-methoxy-4-nitrophenyl)-8-{2-[(6-morpholin-4-ylpyridin-3-yl)oxy]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-(4-hydroxy-3-methoxyphenyl)-8-[2-(4-morpholin-4-ylphenoxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-[(2,6-difluoropyridin-4-yl)amino]-8-[2-(4-morpholin-4-ylphenoxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 7-hydroxy-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-hydroxy-7-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-(tetrahydro-2H-pyran-2-ylmethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-[(1-methylpiperidin-3-yl)methoxy]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-(pyridin-2-ylmethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-(pyridin-3-ylmethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-(pyridin-4-ylmethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-[(5-methylisoxazol-3-yl)methoxy]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-[(1-methyl-1H-imidazol-5-yl)methoxy]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-[(2-methyl-1,3-thiazol-4-yl)methoxy]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-[(2-oxo-1,3-oxazolidin-5-yl)methoxy]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-(tetrahydrofuran-2-ylmethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-[(2,2-dimethyl-1,3-dioxolan-4-yl)methoxy]-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-[(2R)-pyrrolidin-2-ylmethoxy]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7,8-dimethoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-7-[2-(2-methoxyethoxy)ethoxy]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(2,3-dihydroxypropoxy)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-[3-hydroxy-2,2-bis(hydroxymethyl)propoxy]-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-hydroxy-3-{{[8-methoxy-3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]oxy}propane-1-sulfonic acid};

7-(3-aminopropoxy)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-[2-(dimethylamino)ethoxy]-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(2-chloroethoxy)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-(2-pyrrolidin-1-ylethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-(2-morpholin-4-ylethoxy)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(4-hydroxybutoxy)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(4-hydroxybutoxy)-3-(4-hydroxy-3-methoxyphenyl)-8-methoxy-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(4-hydroxybutoxy)-8-methoxy-3-(pyrimidin-4-ylamino)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

4-{{[7-(4-hydroxybutoxy)-8-methoxy-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl]amino}pyridine-2-carbonitrile};

3-[(2,6-difluoropyridin-4-yl)amino]-7-(4-hydroxybutoxy)-8-methoxy-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(4-hydroxybutoxy)-8-methoxy-3-[(2,3,6-trifluoropyridin-4-yl)amino]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-ethoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(4-hydroxybutoxy)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-

dibenzo[b,e][1,4]diazepin-11-one;  
     7-(2-hydroxyethoxy)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     7-(2,3-dihydroxypropoxy)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     7-[2-(2-methoxyethoxy)ethoxy]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     7-(methoxymethyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     7-(3-methoxy-4-nitrobenzyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     7-{[[2-(dimethylamino)ethyl](methyl)amino]methyl}-3-(3-methoxy-4-nitrophenyl)-5,10-  
 dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
     3-(3-methoxy-4-nitrophenyl)-7-{[(2-tetrahydro-2H-pyran-4-ylethyl)amino]methyl}-5,10-  
 dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
     8-ethyl-7-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-vinyl-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     8-(3-hydroxypropyl)-7-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-  
 dibenzo[b,e][1,4]diazepin-11-one;  
     7-methoxy-3-(3-methoxy-4-nitrophenyl)-8-{3-[(2-methylpyridin-3-yl)oxy]propyl}-5,10-  
 dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
     8-{3-[(2-chloropyridin-3-yl)oxy]propyl}-7-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-  
 dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
     7-methoxy-3-(3-methoxy-4-nitrophenyl)-8-[3-(4-morpholin-4-ylphenoxy)propyl]-5,10-  
 dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
     8-[3-(isoquinolin-3-yl)oxy]propyl]-7-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-  
 dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
     7-methoxy-3-(3-methoxy-4-nitrophenyl)-8-[3-(3-oxoisoquinolin-2(3H)-yl)propyl]-5,10-  
 dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

methyl 7-methoxy-3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxylate;  
 methyl 7-methoxy-11-oxo-3-(pyrimidin-4-ylamino)-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepine-8-carboxylate;  
 3-[(2,6-difluoropyridin-4-yl)amino]-8-(1,1-dimethyl-2-morpholin-4-yl-2-oxoethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 2-{3-[(2,6-difluoropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}-N,N,2-trimethylpropanamide;  
 2-{3-[(2,6-difluoropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}-2-methylNpyridin-4-ylpropanamide;  
 2-{3-[(2,6-difluoropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}-2-methylN1,3-thiazol-2-ylpropanamide;  
 3-[(2,6-difluoropyridin-4-yl)amino]-8-{2-[(3R)-3-hydroxypiperidin-1-yl]-1,1-dimethyl-2-oxoethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-[(2,6-difluoropyridin-4-yl)amino]-8-[2-(4-hydroxypiperidin-1-yl)-1,1-dimethyl-2-oxoethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-[(2,6-difluoropyridin-4-yl)amino]-8-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]-1,1-dimethyl-2-oxoethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 3-[(2,6-difluoropyridin-4-yl)amino]-8-(1,1-dimethyl-2-oxo-2-pyrrolidin-1-ylethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 2-{3-[(2,6-difluoropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}-2-methylNpyridin-2-ylpropanamide;  
 2-{3-[(2,6-difluoropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}-2-methylNpyridin-3-ylpropanamide;  
 2-{3-[(2,6-difluoropyridin-4-yl)amino]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl}N(4-fluorophenyl)-2-methylpropanamide;  
 3-[(2,6-difluoropyridin-4-yl)amino]-8-{2-[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]-1,1-dimethyl-2-oxoethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;  
 8-methoxy-3-(3-methoxy-4-nitrophenyl)-7-(3-morpholin-4-yl-3-oxopropyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]Npyridin-3-ylpropanamide;

3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]Npyridin-4-ylpropanamide;

8-[3-(3-hydroxypiperidin-1-yl)-3-oxopropyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

N-(4-fluorophenyl)-3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]propanamide;

3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]N[4-(trifluoromethyl)phenyl]propanamide;

3-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]Nmethylpropanamide;

3-[8-methoxy-3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]-N,N-dimethylpropanamide;

8-{2-[(6-chloropyridin-3-yl)oxy]ethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-{2-[(2-chloropyridin-3-yl)oxy]ethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-{2-[(6-methylpyridin-3-yl)oxy]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-{2-[(2-methylpyridin-3-yl)oxy]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(pyridin-3-yloxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-{2-[(2,6-dimethylpyridin-3-yl)oxy]ethyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[2-({2-[(dimethylamino)methyl]pyridin-3-yl}oxy)ethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[2-(isoquinolin-7-yloxy)ethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-methoxy-3-(3-methoxy-4-nitrophenyl)-N,N-dimethyl-11-oxo-10,11-dihydro-5H-

dibenzo[b,e][1,4]diazepine-8-carboxamide;

7-methoxy-3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-

dibenzo[b,e][1,4]diazepine-8-carboxylic acid;

7-{2-[(2-chloropyridin-3-yl)oxy]ethyl}-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[2-(isoquinolin-5-yloxy)ethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(quinolin-5-yloxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(4-methoxyphenoxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[2-(3-methoxyphenoxy)ethyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-{2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]ethoxy}pyridine-2-carboxamide;

3-(3-methoxy-4-nitrophenyl)-8-[3-(4-morpholin-4-ylphenoxy)propyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[3-(pyridin-3-yloxy)propyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-[2-(3-aminophenoxy)ethyl]-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-{2-[(2-methyl-1,3-benzothiazol-7-yl)oxy]ethyl}-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

2-[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-8-yl]-2-methylN(pyridin-2-ylmethyl)propanamide;

8-(2-hydroxy-2-methylpropyl)-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-[(4-methylpiperazin-1-yl)methyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(4-chloro-3-methoxyphenyl)-8-[(4-methylpiperazin-1-yl)methyl]-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;



2-methoxy-4-{8-[(4-methylpiperazin-1-yl)methyl]-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-3-yl}benzonitrile;

3-(4-hydroxy-3-methoxyphenyl)-8-(hydroxymethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

3-(3-methoxy-4-nitrophenyl)-8-(morpholin-4-ylmethyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-{[(2R)-2-(hydroxymethyl)pyrrolidin-1-yl]methyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

7-(2-hydroxyethoxy)-8-methoxy-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one;

8-{3-[2-(hydroxymethyl)pyrrolidin-1-yl]-3-oxopropyl}-3-(3-methoxy-4-nitrophenyl)-5,10-dihydro-11H-dibenzo[b,e][1,4]diazepin-11-one; and

(cis) 4-hydroxyN[3-(3-methoxy-4-nitrophenyl)-11-oxo-10,11-dihydro-5H-dibenzo[b,e][1,4]diazepin-7-yl]cyclohexanecarboxamide.

29. A pharmaceutical composition comprising a compound of claim 1 or a therapeutically acceptable salt thereof, in combination with a therapeutically acceptable carrier.

30. A method for inhibiting protein kinases in a patient in recognized need of such treatment comprising administering to the patient a therapeutically acceptable amount of a compound of claim 1, or a therapeutically acceptable salt thereof.

31. A method for treating cancer in a patient in recognized need of such treatment comprising administering to the patient a therapeutically acceptable amount of a compound of claim 1, or a therapeutically acceptable salt thereof.